

TAMILNADU POLLUTION CONTROL BOARD



RENEWAL OF CONSENT ORDER NO:2409159030426 DATE:08/07/2024



PROCEEDINGS NO.F.1240TRY/OS/DEE/TNPCB/TRY/W/2024 DATED: 08/07/2024

		700
Sub:	Tamil Nadu Pollution Control Board – AUTO RENEWAL OF CONSENT – M/s. APPLE SUTURE INVENT S.F No. 36/12A,36/12B,36/12C,36/12D, KONALAI Village, Mannachanallur Taluk,	1000
1	Thirtychian 11 D. 100. 30/12A,30/12B,30/12C,30/12D, KONALAI VIIIage, Walliamaria Tatak,	
	Thiruchirapalli District- Renewal of Consent for the operation of the plant and discharge of sewage	
	and/or trade effluent under Section 25 of the Water (Prevention and Control of Pollution) Act, 1974	2
	as amended in 1988 (Central Act 6 of 1974) – Issued-Reg. (Industry User ID- C17TRY7793436)	
Ref:	1. CTO PROCS NO.F.1240TRY/OS/DEF/TNPCB/TRY/W/2019 DATED: 30/10/2019	
	2. RCO Proc. No. F.1240TRY/OS/DEE/TNPCB/TRY/W/2022 DATED: 07/10/2022	ı
	3. Unit's Autorenewal application through OCMMS vide Application No. 59030426 dated	1
	11.04.2024	Ì

Renewal Of Consent is hereby granted under Section 25 of the Water (Prevention and Control of Pollution) Act, 1974 as amended in 1988 (Central Act, 6 of 1974) (hereinafter referred to as "The Act") and the rules and orders made there under to

The Managing Partner,
M/s . APPLE SUTURE INVENT
S.F No. 36/12A,36/12B,36/12C,36/12D,
KONALAI Village,
Mannachanallur Taluk,
Thiruchirapalli District.

Authorising the occupier to make discharge of sewage and /or trade effluent.

This is subject to the provisions of the Act, the rules and the orders made there under and the terms and conditions incorporated under the Special and General conditions stipulated in the Consent Order issued earlier and subject to the special conditions annexed.

This RENEWAL OF CONSENT is valid for the period ending - March 31, 2026

S SIVARANJANI Digitally signed by 5 SIVARANJANI Date: 2024.07.10 16:43:51 +05'30'

District Environmental Engineer, Tamil Nadu Pollution Control Board, THIRUCHIRAPALLI

This renewal of consent is valid for operating the willy for the manufacture of products (Col. 2) at the of the Board and fresh AND RAUL BOLLLITION CONTROL BOARD

SI.No.	Description	Quantity	Unit	
a.	Product Details :-			
1.	Polyamide suture	10000	number/day	
2.	Polypropylene suture	10000	number/day	
3.	PGA violet sutures	10000	number/day	
4.	Polyglactin 910 sutures	10000	number/day	
5.	Polydioxanone sutures	10000	number/day	
6.	Polyglecaprone sutures	10000	number/day	
7.	Silk sutures	10000	number/day	
8.	Catgut sutures	10000	number/day	
9.	Polypropylene mesh	10000	number/day	
10.	Polyestar sutures	10000	number/day	
11.	SS wire suture	10000	number/day	
12.	Chromic catgut sutures	10000	number/day	
b.	By-Product Details :-			
1.	nil	0	nil	
c.	Intermediate Product Details :-			
1.	nil	0	number/day	

2 This renewal of consent is valid for operating the facility with the below mentioned permitted outlets for the discharge of sewage/trade effluent. Any change in the outlets and the quantity has to be brought to the notice of the Board and fresh consent has to be obtained.

The state will be seen consolit has to be obtained.				
Outlet No.	Description of Outlet	Maximum daily discharge in KLD	Point of disposal	
EFFLUENT TYPE :-				
1.	Sewage	1.6	On Industrys own land	
EFFLUENT TYPE :-	Effluent Type: Trade Effluent			
OUTLET NUMBER	DESCRIPTION OF OUTLET	MAXIMUM DAILY DISCHARGE (IN KLD)	POINT OF DISPOSAL	
1,	Trade Effluent	0.05	On land for gardening	

Special Additional Conditions-

The unit shall obtain No Objection Certificate (NOC) from the Tamil Nadu Bio Diversity Board /National Bio Diversity Authority if the unit is using any Biological resources or knowledge associated thereto as per the provisions of Biological Diversity Act 2002.

The industries shall take all efforts to use and popularize "Mission LiFE" logo and mascot which is available in TNPCB & MoEFCC website. They shall also request their employees to adopt "Mission LiFE" action points and document the same and furnish half yearly report to Board.

Additional Conditions-

- 1. The unit shall not increase the production against the consented quantity without obtaining prior consent of the Board.
- 2. The unit shall treat and dispose the sewage in septic tank followed by Dispersion Trench. The unit shall ensure that there is no disposal of their sewage outside the campus.
- 3. The unit shall ensure that the treated effluent always satisfies the standards prescribed by the Board and shall dispose it for gardening within the premises.
- 4. The unit shall maintain Rain Water Harvesting structures to harvest rainwater all possible areas to recharge the ground water in that area.
- 5. The unit shall ensure that the operation of the unit does not attract any public complaint.
- 6. The unit shall ensure that,"In case of revision of consent fee by the Government, the unit shall remit the difference in amount within one month from the date of notification. Failing to remit the consent fee, this

consent order will be withdrawn without any notige law".

7. The unit shall not use "use and throwaway plastics" as plastic sheets used or food wrapping, spreading on dining table etc., plastic TAMILINAB HOPGLAUTION CONTROL BOARDhes and packets, plastic straw, plastic carry bag and plastic flags irrespective of thickness, within the industry premises. Instead unit shall encourage use of eco friendly alternative such as banana leaf, arecanut palm plate, stainless steel, glass, porcelain plates/cups, cloth bag ,jute bag etc.,

S SIVARANJAN Date: 2024.07.10 16:44:07

Digitally signed by S SIVARANJANI

action will be initiated against the unit as per

District Environmental Engineer, Tamil Nadu Pollution Control Board, THIRUCHIRAPALLI

To The Managing Partner, M/s.APPLE SUTURE INVENT, Apple Sulture Invent. No.32, Gandhi Road, Thiruvanai Kovil, Trichy District Pin: 620005

Copy to:

- 1. The Commissioner, MANACHANALLUR-Panchayat Union, Mannachanallur Taluk, Thiruchirapalli District
- 2. Copy submitted to the Member Secretary, Tamil Nadu Pollution Control Board, Chennai for favour of kind
- 3. Copy submitted to the JCEE-Monitoring, Tamil Nadu Pollution Control Board, Tiruchirappalli for favour of kind information.
- 4. File

This is computer generated, Signature is not required.







RENEWAL OF CONSENT ORDER NO:2409259030426 DATE:08/07/2024



PROCEEDINGS NO.F.1240TRY/OS/DEE/TNPCB/TRY/A/2024 DATED: 08/07/2024

	INVENT, S.F. No. 36/12A,36/12B,36/12C,36/12D, KONALAI village, Mannachanalul Taluk and Inventor of the plant and discharge of emissions ThiruchirapalliDistrict- Renewal of Consent for operation of the plant and discharge of emissions under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 as amended in 1987 (Central Act, 14 of 1981) – Issued – Reg. (Industry User ID- C17TRY7793436)
Ref:	1. CTO PROCS NO.F.1240TRY/OS/DEE/TNPCB/TRY/A/2019 DATED: 30/10/2019 2. RCO Proc. No. F.1240TRY/OS/DEE/TNPCB/TRY/A/2022 DATED: 07/10/2022 3. Unit's Autorenewal application through OCMMS vide Application No. 59030426 dated

Renewal of Consent is hereby granted under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 as amended in 1987 (Central Act 14 of 1981) (hereinafter referred to as "The Act") and the rules and orders made there under to

The Managing Partner, M/s . APPLE SUTURE INVENT S.F No. 36/12A,36/12B,36/12C,36/12D, KONALAI Village, Mannachanallur Taluk, Thiruchirapalli District.

Authorizing the occupier to operate the industrial plant in the Air Pollution Control Area as notified by the Government and to make discharge of emission from the stacks/chimneys.

This is subject to the provisions of the Act, the rules and the orders made there under and the terms and conditions incorporated under the Special and General conditions stipulated in the Consent Order issued earlier and subject to the special conditions annexed.

This RENEWAL OF CONSENT is valid for the period ending - March 31, 2026

S SIVARANJANI SIVARANJANI

Digitally signed by S SIVARANJANI Date: 2024.07.10 16:42:47 +05'30'

District Environmental Engineer, Tamil Nadu Pollution Control Board, THIRUCHIRAPALLI



1. This renewal of consent is valid for operating acility for the manufacture of products (Col. 2) at the rate (Col. 3) mentioned below Any chance in the products and its quantity has to be brought to the notice of the Board and fre haville had be been control BUARD

SI.No.	Description	Quantity	Unit		
Product	Product Details :-				
1.	Polyamide suture	10000	number/day		
2.	Polypropylene suture	10000	number/day		
3.	PGA violet sutures	10000	number/day		
4.	Polyglactin 910 sutures	10000	number/day		
5.	Polydioxanone sutures	10000	number/day		
6.	Polyglecaprone sutures	10000	number/day		
7.	Silk sutures	10000	number/day		
8.	Catgut sutures	10000	number/day		
9.	Polypropylene mesh	10000	number/day		
10.	Polyestar sutures	10000	number/day		
11.	SS wire suture	10000	number/day		
12.	Chromic catgut sutures	10000	number/day		
By-Product Details :-					
1.	nil	0	nil		
Intermediate Product Details :-					
1.	nil	0	number/day		
			· 1		

2. This renewal of consent is valid for operating the facility with the below mentioned emission/noise sources along with the control measures and/or stack. Any change in the emission source/control measures/change in stack height has to be brought to the notice of the Board and fresh consent/Amendment has to be obtained

consent/Amendment has to be obtained				
I	Point source emission with stack:			
Stack No	Point Emission sources	Air pollution Control measures provided	Stack height from Ground Level in m	Gaseous Discharge in Nm3/hr
1.	D.G.SET 125 KVA	Acoustic enclosure with stack	1.0	
II	Fugitive/Noise emission:			
SI.No.	Fugitive or Noise	Type of Emission	Control measures provided	Quantity
	Emission sources provided			

Special Additional Conditions-

The unit shall obtain No Objection Certificate (NOC) from the Tamil Nadu Bio Diversity Board /National Bio Diversity Authority if the unit is using any Biological resources or knowledge associated thereto as per the provisions of Biological Diversity Act 2002.

The industries shall take all efforts to use and popularize "Mission LiFE" logo and mascot which is available in TNPCB & MoEFCC website. They shall also request their employees to adopt "Mission LiFE" action points and document the same and furnish half yearly report to Board.

Additional Conditions-

- 1. The unit shall not increase the production against the consented quantity without obtaining prior consent of
- 2. The unit shall operate and maintain the Air Pollution Control measures continuously and efficiently so as to satisfy the AAQ/Emission standards prescribed by the Board.
- 3. The unit shall adhere to the ANL standards prescribed by the Board.
- 4. The unit shall continue to develop more green belt in and around the premises.
- 5. The unit shall ensure that the operation of the unit does not attract any public complaint.
- 6. The unit shall ensure that,"In case of revision of consent fee by the Government, the unit shall remit the o. The unit shall ensure that, In the date of notification. Failing to remit the consent fee, this difference in amount within one month from the date of notification.

consent order will be withdrawn without any notice and further action will be initiated against the unit as per law".

7. The unit shall not use "use and throwaway plastics" as plastic sheets used or food wrapping, spreading on dining table etc., plastic flags irrespective of thickness, within the industry premises. Instead unit shall encourage use of eco friendly alternative such as banana leaf, arecanut palm plate, stainless steel, glass, porcelain plates/cups, cloth bag jute bag etc.,

Digitally signed by 5

SIVARANJANI

SIVARANJANI

Date: 2024.07.10 16:43:11

District Environmental Engineer,

Tamil Nadu Pollution Control Board,

THIRUCHIRAPALLI

To

The Managing Partner,
M/s.APPLE SUTURE INVENT,
Apple Sulture Invent,
No.32,Gandhi Road,
Thiruvanai Kovil,
Trichy District
Pin: 620005

Copy to:

- 1. The Commissioner, MANACHANALLUR-Panchayat Union, Mannachanallur Taluk, Thiruchirapalli District
- 2. Copy submitted to the Member Secretary, Tamil Nadu Pollution Control Board, Chennai for favour of kind information.
- 3. Copy submitted to the JCEE-Monitoring, Tamil Nadu Pollution Control Board, Tiruchirappalli for favour of kind information.
- 4. File

This is computer generated, Signature is not required.

